
DATA

ENQUIRY

THAT TESTS

ENTITY AND

CORRELATIONAL / CAUSAL

THEORIES

**APPLICATION
AND
USER'S GUIDE**

FRED DANSEREAU
Department of Organization and Human Resources
State University of New York at Buffalo

G. CHANDRASEKARAN
Department of Management Science and Systems
State University of New York at Buffalo

MacDONALD DUMAS
Department of Mechanical Engineering
The University of the West Indies, Trinidad

DANIEL F. COLEMAN
Faculty of Administration
University of New Brunswick, Canada

SANFORD EHRLICH
Department of Management
San Diego State University

DEBASHISH BAGCHI
NPD Research, Inc.
Port Washington, New York

THE INSTITUTE FOR THEORY TESTING
P.O. Box 635, Williamsville, NY 14221

CONTENTS

PREFACE XIII

INTRODUCTION 1

PART I / USER'S GUIDE

1

INTERPRETATION OF OUTPUT

- 1.1 FUNDAMENTAL ANALYTIC CONCEPTS 8
 - 1.1.1 Single-Level Analysis 8
 - 1.1.2 Multiple-Level Analysis 9
 - 1.1.3 Multiple-Variable Analysis 10
 - 1.1.4 Multiple-Relationship Analysis 10
 - 1.1.5 Summary of Alternatives 11
- 1.2 SINGLE-LEVEL ANALYSIS TABLES 11
 - 1.2.1 Key Inferences 11
 - 1.2.2 Details 13
- 1.3 MULTIPLE-VARIABLE ANALYSIS TABLES 18
 - 1.3.1 Key Inferences 18
 - 1.3.2 Details 20
- 1.4 SUPPLEMENTARY OUTPUT 20

vi Contents

- 1.5 MULTIPLE-LEVEL ANALYSIS TABLES 21
 - 1.5.1 Key Inferences 21
 - 1.5.2 Details 21
- 1.6 MULTIPLE-RELATIONSHIP ANALYSIS TABLES 22
 - 1.6.1 Key Inferences 22
 - 1.6.2 Details 23
- 1.7 ADDITIONAL ANALYSES 24
 - 1.7.1 Concurrent Analysis 24
 - 1.7.2 Longitudinal (Causal) Analysis 25
 - 1.7.3 Analysis of Variance and Partial Correlation 25
 - 1.7.4 Multiple Correlation (Regression) 26
- 1.8 OTHER TABLES 26
- 1.9 SUMMARY 26

2

DATA ORGANIZATION AND CODING

- 2.1 UNDERSTANDING AUTOMATIC POSITION NUMBERING 27
 - 2.1.1 Position Number for Single-Level Analysis 28
 - 2.1.2 Position Numbers for Multiple-Level Analysis 29
 - 2.1.3 Position Number for Multiple-Relationship Analysis 31
 - 2.1.4 Position Numbers for Concurrent Analyses 32
 - 2.1.5 Position Numbers for Longitudinal Analysis 32
- 2.2 FEATURES THAT CAN INFLUENCE DATA CODING AND ORGANIZATION 33
 - 2.2.1 Deletion of Variables and Indicators from Analyses 33
 - 2.2.2 Variable Labeling 33
 - 2.2.3 Fixed- or Free-Format Data 34
 - 2.2.4 Missing Data 36
 - 2.2.5 Data Transformations 36
 - 2.2.6 Suppression of the DETECT Automatic Sequencing Routine 36
- 2.3 SUMMARY 37

3

THE TWO REQUIRED PROGRAM LINES

- 3.1 ONE TITLE OR BLANK LINE 40
- 3.2 ONE GENERAL INFORMATION LINE (15 ENTRIES) 40
 - 3.2.1 Source of Input Data Option (5 or 13) 40
 - 3.2.2 System Output Option (1,2, or 3) 40
 - 3.2.3 Tabular Output Option (1,2, or 3) 40
 - 3.2.4 Extra Control of Throughput Option (0,1,2 or 10,11,12) 40
 - 3.2.5 Position Number of First Cell Indicator (PN) 42
 - 3.2.6 Position Number of Second Cell Indicator (0 or PN) 43
 - 3.2.7 Number of Cell Indicators Beyond Two (0 or L) 43
 - 3.2.8 Multiple-Variable Analysis Option (0, 1, 2, or 3) 43
 - 3.2.9 Multiple-Relationship Analysis Option (0 or PN) 43
 - 3.2.10 Number of Variables Not To Be Analyzed (0 or VN) 44
 - 3.2.11 Number of Variables To Be Analyzed (VA) 44
 - 3.2.12 Variable Labeling Option (0 or 1) 44

- 3.2.13 Number of Lines for Format Statement (0, 1, 2, or 3) 44
- 3.2.14 Missing Data Option (0, 1, or 2) 45
- 3.2.15 Data Transformations Option (0 or NV) 45
- 3.3 ILLUSTRATION OF A DETECT PROGRAM 45
- 3.4 SUMMARY 46

4

THE OPTIONAL PROGRAM LINES

- 4.1 WHEN TO USE EACH OPTIONAL LINE 48
- 4.2 ONE DETAILED INFORMATION LINE 50
 - 4.2.1 Total Number of Lines Per Page (1, or 50 to N) 50
 - 4.2.2 DETECT Page and Information Tables (0.1, or 2) 50
 - 4.2.3 Cell Frequencies (Table CF) (0.1, or NE) 52
 - 4.2.4 Averages and Dispersions Across Cells (Table AT) (0.1, or NE) 52
 - 4.2.5 Averages and Dispersions by Cells (Table AC) (0.1, or NE) 52
 - 4.2.6 Averages and Dispersions by Variables (Table AV) (0.1, or NE) 53
 - 4.2.7 Within and Between Analysis I (Table WI) (0.1, or NE) 53
 - 4.2.8 Within and Between Analysis II (Tables WIID, WIIM, WTC) (0.1, or NE) 53
 - 4.2.9 Within-Cell Multiple-Variable Analysis (Table MVAW) (0.1, or NE) 53
 - 4.2.10 Between-Cell Multiple-Variable Analysis (Table MVAB) (0.1, or NE) 54
 - 4.2.11 Correlation Matrix (0 or 1) 54
 - 4.2.12 Deviation Scores (0.1, or 2) 54
 - 4.2.13 Multiple-Relationship Analysis (Table MRA) (0, 1, or NE) 54
 - 4.2.14 Sequencing Package (0 or 1) 55
 - 4.2.15 Extra Rounding (0 or 1) 55
 - 4.2.16 Example of a Detailed Information Line 55
- 4.3 LINES FOR POSITION OF ADDITIONAL LEVEL (CELL) INDICATOR(S) 55
- 4.4 LINES FOR LABELS FOR VARIABLES TO BE ANALYZED 56
- 4.5 LINES FOR FORMAT OF DATA 56
- 4.6 LINES FOR MISSING DATA VALUES 57
- 4.7 LINES FOR DATA TRANSFORMATIONS 57
 - 4.7.1 Input and Output Controlled by the GIL 57
 - 4.7.2 Structure of Data Transformation Lines 58
 - 4.7.3 Required First Line (Entry K = 0) 59
 - 4.7.4 Transformation Lines 61
 - 4.7.5 Required Last Line (Entry K = 16) 63
- 4.8 ILLUSTRATION OF A TYPICAL DETECT PROGRAM 63
- 4.9 SUMMARY 65

PART II / APPLICATION GUIDE

5

DETAILED EXAMPLE OF EACH ANALYSIS

- 5.1 DATA SET A 67
- 5.2 SINGLE-LEVEL ANALYSIS 68
 - 5.2.1 Program 69

5.2.2	Output	70
5.3	MULTIPLE-VARIABLE ANALYSIS	75
5.3.1	Program	75
5.3.2	Output	77
5.4	MULTIPLE (2) LEVEL ANALYSIS	81
5.4.1	Program	82
5.4.2	Output	83
5.5	MULTIPLE (3) LEVEL ANALYSIS	85
5.5.1	Program	86
5.5.2	Output	87
5.6	MULTIPLE-RELATIONSHIP ANALYSIS	89
5.6.1	Program	90
5.6.2	Output	91
5.7	PARTIAL CORRELATION AND ANALYSIS OF VARIANCE	92
5.7.1	Partial Correlation	92
5.7.2	Analysis of Variance	96
5.8	SUMMARY	96

6

GENERAL EXAMPLE OF CONCURRENT ANALYSES

6.1	DATA SET B	101
6.2	OVERALL ANALYSES	102
6.2.1	Program	102
6.2.2	Output	103
6.3	ANALYSES WITHIN CONDITIONS	104
6.3.1	Program	105
6.3.2	Output	105
6.4	MULTIPLE REGRESSION	108
6.4.1	Program	109
6.4.2	Output	110
6.5	SUMMARY	112

7

EXAMPLE OF LONGITUDINAL (CAUSAL) ANALYSIS

7.1	DATA SET C	113
7.2	ANALYSIS AT EACH TIME PERIOD	114
7.2.1	Program	115
7.2.2	Output	116
7.3	THREE NONLAGGED LONGITUDINAL ANALYSES	116
7.3.1	Three Programs	116
7.3.2	Output from Three Programs	118
7.4	CREATION OF DATA SET D	119
7.4.1	Step 1	119
7.4.2	Step 2	121
7.4.3	Step 3	125
7.5	DATA SET D	127
7.6	LAGGED LONGITUDINAL (CAUSAL) ANALYSIS	128
7.6.1	Program	128
7.6.2	Output	128
7.7	SUMMARY	129

8

**EXAMPLE OF DATA TRANSFORMATIONS
AND TABLE SPACING**

- 8.1 DATA TRANSFORMATIONS OPTION 131
 - 8.1.1 Program 131
 - 8.1.2 Output 133
- 8.2 TABLE SPACING OPTION 133
 - 8.2.1 Program 134
 - 8.2.2 Output 135
- 8.3 SUMMARY 135

APPENDIXES**APPENDIX A
COMPUTER LISTINGS FOR EXAMPLES OF EACH ANALYSIS**

- A.1 DATA SET A 137
- A.2 SEVEN PROGRAMS USED ON DATA SET A 138
- A.3 OUTPUT FROM SINGLE-LEVEL ANALYSIS ON DATA SET A 141
- A.4 OUTPUT FROM MULTIPLE-VARIABLE ANALYSIS ON DATA SET A 155
- A.5 OUTPUT FROM MULTIPLE (2) LEVEL ANALYSIS ON DATA SET A 162
- A.6 OUTPUT FROM MULTIPLE (3) LEVEL ANALYSIS ON DATA SET A 169
- A.7 OUTPUT FROM MULTIPLE-RELATIONSHIP ANALYSIS
ON DATA SET A 179
- A.8 OUTPUT FROM PARTIAL CORRELATION ON DATA SET A 186
 - A.8.1 Output (Printer) from Program to Obtain Deviation Scores 186
 - A.8.2 Output (File 8) from Program to Obtain Deviation Scores 188
 - A.8.3 Output from Program Example of Partial Correlation 191

**APPENDIX B
COMPUTER LISTINGS FOR EXAMPLE OF
CONCURRENT ANALYSES**

- B.1 DATA SET B 197
- B.2 FOUR PROGRAMS USED ON DATA SET B 199
- B.3 OUTPUT FROM OVERALL ANALYSIS OF DATA SET B 200
- B.4 OUTPUT FROM ANALYSIS WITHIN CONDITIONS OF DATA SET B 212
- B.5 OUTPUT FOR MULTIPLE REGRESSION 232
 - B.5.1 Output (File 8) of Deviation Scores in Condition 1 232
 - B.5.2 Adjusted File 8 for Condition 1 for Regression 233
 - B.5.3 Output (File 8) of Deviation Scores in Condition 2 234
 - B.5.4 Adjusted File 8 for Condition 2 for Regression 235

**APPENDIX C
COMPUTER LISTINGS FOR EXAMPLES OF
LONGITUDINAL ANALYSIS**

- C.1 DATA SET C 237
- C.2 PROGRAM FOR ANALYSIS OF DATA SET C
AT EACH TIME PERIOD 238
- C.3 OUTPUT FROM ANALYSIS AT EACH TIME PERIOD
FOR DATA SET C 238

- C.4 THREE PROGRAMS USED ON DATA SET C FOR NONLAGGED ANALYSIS 251
- C.5 OUTPUT FROM NONLAGGED ANALYSIS OF DATA SET C 252
 - C.5.1 Output from Analysis from Time 1 to Time 3 252
 - C.5.2 Output from Analysis from Time 1 to Time 2 256
 - C.5.3 Output from Analysis from Time 2 to Time 3 261
- C.6 FOUR PROGRAMS USED TO CREATE DATA SET D 266
- C.7 OUTPUT FROM PROGRAMS TO CREATE DATA SET D 268
 - C.7.1 Output (Printer) from Program to Create Deviation Scores from Time 1 to Time 2 268
 - C.7.2 Output on File 8 from Program to Create Deviation Scores from Time 1 to Time 2 271
 - C.7.3 Output (Printer) from Program to Create Deviation Scores from Time 2 to Time 3 272
 - C.7.4 Output on File 8 from Program to Create Deviation Scores from Time 2 to Time 3 275
 - C.7.5 Stacked File 8 Outputs Listed in Sections C.7.2 and C.7.4 276
 - C.7.6 Output (Printer) from Program to Merge Output Listed in Section C.7.5 278
 - C.7.7 Resequenced Scores Based on Output Listed in Section C.7.6 280
 - C.7.8 Output (Printer) from Program to Create Data Set D from Section 7.4.3 281
 - C.7.9 Output on File 8 from Program to Create Data Set D from Section 7.4.3 284
- C.8 DATA SET D 284
- C.9 PROGRAM FOR LAGGED ANALYSIS ON DATA SET D 284
- C.10 OUTPUT FROM LAGGED ANALYSIS ON DATA SET D 285

APPENDIX D COMPUTER LISTINGS FOR OTHER EXAMPLES

- D.1 TWO PROGRAMS FOR DATA TRANSFORMATIONS AND TABLE SPACING 291
- D.2 OUTPUT FROM DATA TRANSFORMATIONS EXAMPLE 292
- D.3 OUTPUT FROM TABLE SPACING EXAMPLE 301

APPENDIX E JOB CONTROL LANGUAGE FOR DETECT

- E.1 OVERVIEW 308
 - E.1.1 JCL for Simple Programs 308
 - E.1.2 Modifying Input to and Output from DETECT 309
 - E.1.3 File Definitions 310
 - E.1.4 Summary 311
- E.2 DETECT ON CDC SYSTEMS 311
 - E.2.1 Overview 311
 - E.2.2 Examples of DETECT on CDC Systems 314
 - E.2.3 Summary 315
- E.3 DETECT ON DIGITAL VAX SYSTEMS 315
 - E.3.1 File Organization 316
 - E.3.2 General Description of Job Control Language 316
 - E.3.3 Examples of DETECT on Digital VAX Systems 316

- E.4 DETECT ON IBM AND IBM-COMPATIBLE SYSTEMS 317**
 - E.4.1 Overview of Data Definition (DD) Statements 318**
 - E.4.2 Data Definition Statements for Scratch Files 319**
 - E.4.3 Data Definition Statements for Alternative Input and Output 320**
 - E.4.4 General Description of JCL 321**
 - E.4.5 Examples of DETECT on IBM Systems 324**
 - E.4.6 DETECT on IBM-Compatible Systems 325**

APPENDIX F INTERACTIVE DETECT

- F.1 PROGRAM INPUT REQUESTED BY DETECT 327**
 - F.1.1 Title Line 327**
 - F.1.2 General Information Line 327**
 - F.1.3 Detailed Information Line 328**
 - F.1.4 Lines for Position Numbers of Additional Cell Indicators 328**
 - F.1.5 Variable Label Lines 328**
 - F.1.6 Format Lines 328**
 - F.1.7 Lines for Missing Data Values 329**
 - F.1.8 Lines for Data Transformations 329**
 - F.1.9 Data 329**
 - F.1.10 Output 329**
- F.2 JCL REQUIREMENTS 329**
 - F.2.1 CDC 330**
 - F.2.2 Digital VAX 330**
 - F.2.3 IBM 330**

APPENDIX G SYSTEM SPECIFIC ADJUSTMENTS FOR DETECT

- G.1 JOB CONTROL MODIFICATION CHECKLIST 331**
- G.2 DETECT MODIFICATION CHECKLIST 332**
 - G.2.1 Overview 332**
 - G.2.2 Specifics 332**

APPENDIX H DEBUGGING AID: DETECT AND SYSTEM MESSAGES

- H.1 MESSAGES BEFORE THE DETECT PAGE 335**
 - H.1.1 Summary 336**
- H.2 MESSAGES IN TABLE III 337**
- H.3 MESSAGES FROM DATA TRANSFORMATIONS 338**
- H.4 MESSAGES ABOUT DATA AND SEQUENCING 338**
- H.5 MESSAGES ABOUT PROCEDURAL CHECKS 339**
- H.6 MESSAGES ABOUT AND WITHIN TABLES 340**
 - H.6.1 Tables AT, AC, AV, and Process Messages 340**
 - H.6.2 Table WI 340**
 - H.6.3 Table WIID 341**
 - H.6.4 Tables WIIM and WTC 341**
 - H.6.5 Tables MVAW and MVAB 341**
 - H.6.6 Correlation Matrix 342**
 - H.6.7 Table MRA 342**
- H.7 MISCELLANEOUS MESSAGES 342**

xii Contents

APPENDIX I QUICK REFERENCE GUIDE

I.1 TABULAR OUTPUT 343

I.2 DATA PREPARATION 346

I.3 PROGRAM REQUIREMENTS 346

I.4 ILLUSTRATIVE PROGRAM 350

SELECTED REFERENCES 353

INDEX 357